


## Comparison between target and referenced product



	Target Product: AQ6370D				Referenced product: AQ6370C			
	Energy MJ	CO <sub>2</sub> Emissions kg	NO <sub>x</sub> Emissions g	SO <sub>x</sub> Emissions g	Energy MJ	CO <sub>2</sub> Emissions kg	NO <sub>x</sub> Emissions g	SO <sub>x</sub> Emissions g
Raw materials	13,420.7	764.2	1,874.4	911.1	15,607.2	893.5	2,137.6	1,071.3
Components	2,173.6	108.2	283.1	103.7	3,555.1	175.7	465.1	167.4
Machining and assembly	694.8	31.0	96.4	25.6	760.4	33.9	105.5	28.0
Logistics	1,495.1	102.2	110.1	261.9	1,535.5	105.0	112.7	269.3
Consumption	1,147.1	51.1	159.2	42.2	1,600.1	71.3	222.1	58.9
Disposal	-410.7	-23.3	-66.6	-29.4	-423.2	-23.7	-62.6	-27.1
<b>Total</b>	<b>18,520.5</b>	<b>1,033.4</b>	<b>2,456.5</b>	<b>1,315.1</b>	<b>22,635.2</b>	<b>1,255.6</b>	<b>2,980.4</b>	<b>1,567.8</b>
Reduction ratio	18.2%	17.7%	17.6%	16.1%				

Note: Value of the referenced product is calculated based on the functional factor. Functional factor: 1